

Scheme	Scheme Type	SWIM (code)	KPI (code)	QG KPI category	Indicator title	Value	Units	Comments
Jundah Potable Water	Potable water scheme	AS2	QG 1.1	General	Length of water mains (S)	4.7	km	
Stonehege Potable Water	Potable water scheme	AS2	QG 1.1	General	Length of water mains (S)	2.4	km	
Windorah Potable Water	Potable water scheme	AS2	QG 1.1	General	Length of water mains (S)	4.7	km	
Jundah Raw Water	Raw-Partially treated water scheme	AS2	QG 1.1	General	Length of water mains (S)	4	km	
Stonehege Raw Water	Raw-Partially treated water scheme	AS2	QG 1.1	General	Length of water mains (S)	1.6	km	
Windorah Raw Water	Raw-Partially treated water scheme	AS2	QG 1.1	General	Length of water mains (S)	4	km	
Barcoo Shire Council WSP-wide	WSP	AS2	QG 1.1	General	Length of water mains (S)	21.3	km	
Barcoo Shire Council WSP-wide	WSP	AS5	QG 1.2	General	Length of sewerage mains (S)	NR	km	
Barcoo Shire Council WSP-wide	WSP	AS4	QG 1.3	General	Number of sewerage treatment plants (S)	NR	Count	
Jundah Potable Water	Potable water scheme	AS47	QG 1.4	General	Capacity of water treatment plants (S)	0.2	ML/day	
Stonehege Potable Water	Potable water scheme	AS47	QG 1.4	General	Capacity of water treatment plants (S)	0	ML/day	
Windorah Potable Water	Potable water scheme	AS47	QG 1.4	General	Capacity of water treatment plants (S)	0.1	ML/day	
Barcoo Shire Council WSP-wide	WSP	AS47	QG 1.4	General	Capacity of water treatment plants (S)	0.2	ML/day	
Jundah Potable Water	Potable water scheme	WA169	QG 1.5	General	Maximum daily demand (S)	0.1	ML/day	
Stonehege Potable Water	Potable water scheme	WA169	QG 1.5	General	Maximum daily demand (S)	0	ML/day	
Windorah Potable Water	Potable water scheme	WA169	QG 1.5	General	Maximum daily demand (S)	0	ML/day	
Barcoo Shire Council WSP-wide	WSP	WA169	QG 1.5	General	Maximum daily demand (S)	0.2	ML/day	
Jundah Potable Water	Potable water scheme	WA74	QG 1.6	General	Total volume of potable water produced (S)	24.7	ML	
Stonehege Potable Water	Potable water scheme	WA74	QG 1.6	General	Total volume of potable water produced (S)	2.3	ML	
Windorah Potable Water	Potable water scheme	WA74	QG 1.6	General	Total volume of potable water produced (S)	12.9	ML	
Barcoo Shire Council WSP-wide	WSP	WA74	QG 1.6	General	Total volume of potable water produced (S)	39.9	ML	
Jundah Potable Water	Potable water scheme	AS48	QG 1.7	General	Total treated/drinking water storage (S)	0.7	ML	
Stonehege Potable Water	Potable water scheme	AS48	QG 1.7	General	Total treated/drinking water storage (S)	0.1	ML	
Windorah Potable Water	Potable water scheme	AS48	QG 1.7	General	Total treated/drinking water storage (S)	0.2	ML	
Barcoo Shire Council WSP-wide	WSP	AS48	QG 1.7	General	Total treated/drinking water storage (S)	1	ML	
Jundah Potable Water	Potable water scheme	WA1	QG 1.8	General	Volume of water sourced from surface water (S)	100.4	ML	
Stonehege Potable Water	Potable water scheme	WA1	QG 1.8	General	Volume of water sourced from surface water (S)	18.9	ML	Figure is the amount taken from the offstream storage, which is filled from the Thomson River. The take direct from the river is not metered.
Windorah Potable Water	Potable water scheme	WA1	QG 1.8	General	Volume of water sourced from surface water (S)	107.5	ML	
Jundah Raw Water	Raw-Partially treated water scheme	WA1	QG 1.8	General	Volume of water sourced from surface water (S)	MD	ML	Figures not measured separately. Included in potable water scheme values.
Stonehege Raw Water	Raw-Partially treated water scheme	WA1	QG 1.8	General	Volume of water sourced from surface water (S)	MD	ML	Figures not measured separately. Included in potable water scheme values.
Windorah Raw Water	Raw-Partially treated water scheme	WA1	QG 1.8	General	Volume of water sourced from surface water (S)	MD	ML	Figures not measured separately. Included in potable water scheme values.
Barcoo Shire Council WSP-wide	WSP	WA1	QG 1.8	General	Volume of water sourced from surface water (S)	226.8	ML	
Jundah Potable Water	Potable water scheme	WA2	QG 1.9	General	Volume of water sourced from groundwater (S)	NR	ML	
Stonehege Potable Water	Potable water scheme	WA2	QG 1.9	General	Volume of water sourced from groundwater (S)	NR	ML	
Windorah Potable Water	Potable water scheme	WA2	QG 1.9	General	Volume of water sourced from groundwater (S)	NR	ML	
Jundah Raw Water	Raw-Partially treated water scheme	WA2	QG 1.9	General	Volume of water sourced from groundwater (S)	NR	ML	
Stonehege Raw Water	Raw-Partially treated water scheme	WA2	QG 1.9	General	Volume of water sourced from groundwater (S)	NR	ML	
Windorah Raw Water	Raw-Partially treated water scheme	WA2	QG 1.9	General	Volume of water sourced from groundwater (S)	NR	ML	
Barcoo Shire Council WSP-wide	WSP	WA2	QG 1.9	General	Volume of water sourced from groundwater (S)	0	ML	
Jundah Potable Water	Potable water scheme	WA61	QG 1.10	General	Volume of water sourced from desalination of marine water (S)	NR	ML	
Stonehege Potable Water	Potable water scheme	WA61	QG 1.10	General	Volume of water sourced from desalination of marine water (S)	NR	ML	
Windorah Potable Water	Potable water scheme	WA61	QG 1.10	General	Volume of water sourced from desalination of marine water (S)	NR	ML	
Jundah Raw Water	Raw-Partially treated water scheme	WA61	QG 1.10	General	Volume of water sourced from desalination of marine water (S)	NR	ML	
Stonehege Raw Water	Raw-Partially treated water scheme	WA61	QG 1.10	General	Volume of water sourced from desalination of marine water (S)	NR	ML	
Windorah Raw Water	Raw-Partially treated water scheme	WA61	QG 1.10	General	Volume of water sourced from desalination of marine water (S)	NR	ML	
Barcoo Shire Council WSP-wide	WSP	WA61	QG 1.10	General	Volume of water sourced from desalination of marine water (S)	NR	ML	
Barcoo Shire Council WSP-wide	WSP	WA26	QG 1.11	General	Total recycled water supplied (S)	NR	ML	
Jundah Potable Water	Potable water scheme	WA7	QG 1.12	General	Total water sourced (S)	100.4	ML	
Stonehege Potable Water	Potable water scheme	WA7	QG 1.12	General	Total water sourced (S)	18.9	ML	
Windorah Potable Water	Potable water scheme	WA7	QG 1.12	General	Total water sourced (S)	107.5	ML	
Jundah Raw Water	Raw-Partially treated water scheme	WA7	QG 1.12	General	Total water sourced (S)	MD	ML	Figures not measured separately. Included in potable water scheme values.
Stonehege Raw Water	Raw-Partially treated water scheme	WA7	QG 1.12	General	Total water sourced (S)	MD	ML	Figures not measured separately. Included in potable water scheme values.
Windorah Raw Water	Raw-Partially treated water scheme	WA7	QG 1.12	General	Total water sourced (S)	MD	ML	Figures not measured separately. Included in potable water scheme values.
Barcoo Shire Council WSP-wide	WSP	WA7	QG 1.12	General	Total water sourced (S)	226.8	ML	
Jundah Potable Water	Potable water scheme	CS2	QG 1.13	General	Connected residential properties - water supply (S)	0.062	000s	
Stonehege Potable Water	Potable water scheme	CS2	QG 1.13	General	Connected residential properties - water supply (S)	0.018	000s	
Windorah Potable Water	Potable water scheme	CS2	QG 1.13	General	Connected residential properties - water supply (S)	0.054	000s	
Jundah Raw Water	Raw-Partially treated water scheme	CS2	QG 1.13	General	Connected residential properties - water supply (S)	0.066	000s	
Stonehege Raw Water	Raw-Partially treated water scheme	CS2	QG 1.13	General	Connected residential properties - water supply (S)	0.016	000s	
Windorah Raw Water	Raw-Partially treated water scheme	CS2	QG 1.13	General	Connected residential properties - water supply (S)	0.058	000s	
Barcoo Shire Council WSP-wide	WSP	CS2	QG 1.13	General	Connected residential properties - water supply (S)	0.274	000s	
Jundah Potable Water	Potable water scheme	CS3	QG 1.14	General	Connected non-residential properties - water supply (S)	0.024	000s	
Stonehege Potable Water	Potable water scheme	CS3	QG 1.14	General	Connected non-residential properties - water supply (S)	0.012	000s	
Windorah Potable Water	Potable water scheme	CS3	QG 1.14	General	Connected non-residential properties - water supply (S)	0.025	000s	
Jundah Raw Water	Raw-Partially treated water scheme	CS3	QG 1.14	General	Connected non-residential properties - water supply (S)	0.021	000s	
Stonehege Raw Water	Raw-Partially treated water scheme	CS3	QG 1.14	General	Connected non-residential properties - water supply (S)	0.011	000s	
Windorah Raw Water	Raw-Partially treated water scheme	CS3	QG 1.14	General	Connected non-residential properties - water supply (S)	0.025	000s	
Barcoo Shire Council WSP-wide	WSP	CS3	QG 1.14	General	Connected non-residential properties - water supply (S)	0.148	000s	
Barcoo Shire Council WSP-wide	WSP	CS6	QG 1.15	General	Connected residential properties - sewerage (S)	NR	000s	
Barcoo Shire Council WSP-wide	WSP	CS7	QG 1.16	General	Connected non-residential properties - sewerage (S)	NR	000s	
Jundah Potable Water	Potable water scheme	WA8	QG 1.17	General	Volume of water supplied - residential (S)	8.1	ML	
Stonehege Potable Water	Potable water scheme	WA8	QG 1.17	General	Volume of water supplied - residential (S)	0.8	ML	
Windorah Potable Water	Potable water scheme	WA8	QG 1.17	General	Volume of water supplied - residential (S)	6.7	ML	
Jundah Raw Water	Raw-Partially treated water scheme	WA8	QG 1.17	General	Volume of water supplied - residential (S)	27.2	ML	
Stonehege Raw Water	Raw-Partially treated water scheme	WA8	QG 1.17	General	Volume of water supplied - residential (S)	4.5	ML	
Windorah Raw Water	Raw-Partially treated water scheme	WA8	QG 1.17	General	Volume of water supplied - residential (S)	28.3	ML	
Barcoo Shire Council WSP-wide	WSP	WA8	QG 1.17	General	Volume of water supplied - residential (S)	75.6	ML	
Jundah Potable Water	Potable water scheme	WA9	QG 1.18	General	Volume of water supplied - commercial, municipal and industrial (S)	6.7	ML	
Stonehege Potable Water	Potable water scheme	WA9	QG 1.18	General	Volume of water supplied - commercial, municipal and industrial (S)	0.9	ML	
Windorah Potable Water	Potable water scheme	WA9	QG 1.18	General	Volume of water supplied - commercial, municipal and industrial (S)	5.8	ML	
Jundah Raw Water	Raw-Partially treated water scheme	WA9	QG 1.18	General	Volume of water supplied - commercial, municipal and industrial (S)	19.7	ML	
Stonehege Raw Water	Raw-Partially treated water scheme	WA9	QG 1.18	General	Volume of water supplied - commercial, municipal and industrial (S)	4.3	ML	
Windorah Raw Water	Raw-Partially treated water scheme	WA9	QG 1.18	General	Volume of water supplied - commercial, municipal and industrial (S)	22.1	ML	
Barcoo Shire Council WSP-wide	WSP	WA9	QG 1.18	General	Volume of water supplied - commercial, municipal and industrial (S)	59.5	ML	
Jundah Potable Water	Potable water scheme	WA36	QG 1.19	General	Volume of non-revenue water (S)	9.9	ML	
Stonehege Potable Water	Potable water scheme	WA36	QG 1.19	General	Volume of non-revenue water (S)	0.6	ML	
Windorah Potable Water	Potable water scheme	WA36	QG 1.19	General	Volume of non-revenue water (S)	0.4	ML	
Barcoo Shire Council WSP-wide	WSP	WA36	QG 1.19	General	Volume of non-revenue water (S)	10.9	ML	
Barcoo Shire Council WSP-wide	WSP	WF1	QG 1.20	General	Total Full-Time Equivalent water and sewerage services employees (W)	1	FTEs	
Jundah Potable Water	Potable water scheme	WS1	QG 2.1	Water Security	Months of supply remaining at end of reporting period (30 June) (S)	15	months	

Stonehege Potable Water	Potable water scheme	WS1	QG 2.1	Water Security	Months of supply remaining at end of reporting period (30 June) (S)	12	months
Windorah Potable Water	Potable water scheme	WS1	QG 2.1	Water Security	Months of supply remaining at end of reporting period (30 June) (S)	18	months
Jundah Raw Water	Raw-Partially treated water scheme	WS1	QG 2.1	Water Security	Months of supply remaining at end of reporting period (30 June) (S)	15	months
Stonehege Raw Water	Raw-Partially treated water scheme	WS1	QG 2.1	Water Security	Months of supply remaining at end of reporting period (30 June) (S)	12	months
Windorah Raw Water	Raw-Partially treated water scheme	WS1	QG 2.1	Water Security	Months of supply remaining at end of reporting period (30 June) (S)	18	months
Barcoo Shire Council WSP-wide	WSP	WS1	QG 2.1	Water Security	Months of supply remaining at end of reporting period (30 June) (S)	12	months
Jundah Potable Water	Potable water scheme	WS2	QG 2.2	Water Security	Anticipated capacity to meet demand for next reporting year (at QG 2.4) (S)	18	ok/not ok
Stonehege Potable Water	Potable water scheme	WS2	QG 2.2	Water Security	Anticipated capacity to meet demand for next reporting year (at QG 2.4) (S)	NR	ok/not ok
Windorah Potable Water	Potable water scheme	WS2	QG 2.2	Water Security	Anticipated capacity to meet demand for next reporting year (at QG 2.4) (S)	NR	ok/not ok
Jundah Raw Water	Raw-Partially treated water scheme	WS2	QG 2.2	Water Security	Anticipated capacity to meet demand for next reporting year (at QG 2.4) (S)	NR	ok/not ok
Stonehege Raw Water	Raw-Partially treated water scheme	WS2	QG 2.2	Water Security	Anticipated capacity to meet demand for next reporting year (at QG 2.4) (S)	NR	ok/not ok
Windorah Raw Water	Raw-Partially treated water scheme	WS2	QG 2.2	Water Security	Anticipated capacity to meet demand for next reporting year (at QG 2.4) (S)	NR	ok/not ok
Barcoo Shire Council WSP-wide	WSP	WS2	QG 2.2	Water Security	Anticipated capacity to meet demand for next reporting year (at QG 2.4) (S)	NR	ok/not ok
Jundah Potable Water	Potable water scheme	WS3	QG 2.3	Water Security	Available contingency supplies (S)	NR	yes/no
Stonehege Potable Water	Potable water scheme	WS3	QG 2.3	Water Security	Available contingency supplies (S)	NR	yes/no
Windorah Potable Water	Potable water scheme	WS3	QG 2.3	Water Security	Available contingency supplies (S)	NR	yes/no
Jundah Raw Water	Raw-Partially treated water scheme	WS3	QG 2.3	Water Security	Available contingency supplies (S)	NR	yes/no
Stonehege Raw Water	Raw-Partially treated water scheme	WS3	QG 2.3	Water Security	Available contingency supplies (S)	NR	yes/no
Windorah Raw Water	Raw-Partially treated water scheme	WS3	QG 2.3	Water Security	Available contingency supplies (S)	NR	yes/no
Barcoo Shire Council WSP-wide	WSP	WS3	QG 2.3	Water Security	Available contingency supplies (S)	NR	yes/no
Jundah Potable Water	Potable water scheme	WS4	QG 2.4	Water Security	Total anticipated water demand for next reporting year (S)	25	ML
Stonehege Potable Water	Potable water scheme	WS4	QG 2.4	Water Security	Total anticipated water demand for next reporting year (S)	2	ML
Windorah Potable Water	Potable water scheme	WS4	QG 2.4	Water Security	Total anticipated water demand for next reporting year (S)	13	ML
Jundah Raw Water	Raw-Partially treated water scheme	WS4	QG 2.4	Water Security	Total anticipated water demand for next reporting year (S)	47	ML
Stonehege Raw Water	Raw-Partially treated water scheme	WS4	QG 2.4	Water Security	Total anticipated water demand for next reporting year (S)	9	ML
Windorah Raw Water	Raw-Partially treated water scheme	WS4	QG 2.4	Water Security	Total anticipated water demand for next reporting year (S)	49	ML
Barcoo Shire Council WSP-wide	WSP	WS4	QG 2.4	Water Security	Total anticipated water demand for next reporting year (S)	145	ML
Jundah Potable Water	Potable water scheme	WS5	QG 2.5	Water Security	Total anticipated annual water demand in five years' time (S)	25	ML
Stonehege Potable Water	Potable water scheme	WS5	QG 2.5	Water Security	Total anticipated annual water demand in five years' time (S)	2	ML
Windorah Potable Water	Potable water scheme	WS5	QG 2.5	Water Security	Total anticipated annual water demand in five years' time (S)	13	ML
Jundah Raw Water	Raw-Partially treated water scheme	WS5	QG 2.5	Water Security	Total anticipated annual water demand in five years' time (S)	47	ML
Stonehege Raw Water	Raw-Partially treated water scheme	WS5	QG 2.5	Water Security	Total anticipated annual water demand in five years' time (S)	9	ML
Windorah Raw Water	Raw-Partially treated water scheme	WS5	QG 2.5	Water Security	Total anticipated annual water demand in five years' time (S)	49	ML
Barcoo Shire Council WSP-wide	WSP	WS5	QG 2.5	Water Security	Total anticipated annual water demand in five years' time (S)	145	ML
Jundah Potable Water	Potable water scheme	WS6	QG 2.6	Water Security	Anticipated capacity to meet demand in 5 years' time (at QG 2.5) (S)	ok	ok/not ok
Stonehege Potable Water	Potable water scheme	WS6	QG 2.6	Water Security	Anticipated capacity to meet demand in 5 years' time (at QG 2.5) (S)	ok	ok/not ok
Windorah Potable Water	Potable water scheme	WS6	QG 2.6	Water Security	Anticipated capacity to meet demand in 5 years' time (at QG 2.5) (S)	ok	ok/not ok
Jundah Raw Water	Raw-Partially treated water scheme	WS6	QG 2.6	Water Security	Anticipated capacity to meet demand in 5 years' time (at QG 2.5) (S)	ok	ok/not ok
Stonehege Raw Water	Raw-Partially treated water scheme	WS6	QG 2.6	Water Security	Anticipated capacity to meet demand in 5 years' time (at QG 2.5) (S)	ok	ok/not ok
Windorah Raw Water	Raw-Partially treated water scheme	WS6	QG 2.6	Water Security	Anticipated capacity to meet demand in 5 years' time (at QG 2.5) (S)	ok	ok/not ok
Barcoo Shire Council WSP-wide	WSP	WS6	QG 2.6	Water Security	Anticipated capacity to meet demand in 5 years' time (at QG 2.5) (S)	ok	ok/not ok
Jundah Potable Water	Potable water scheme	WS7	QG 2.7	Water Security	Planned supply system response (S)	NR	yes/no
Stonehege Potable Water	Potable water scheme	WS7	QG 2.7	Water Security	Planned supply system response (S)	NR	yes/no
Windorah Potable Water	Potable water scheme	WS7	QG 2.7	Water Security	Planned supply system response (S)	NR	yes/no
Jundah Raw Water	Raw-Partially treated water scheme	WS7	QG 2.7	Water Security	Planned supply system response (S)	NR	yes/no
Stonehege Raw Water	Raw-Partially treated water scheme	WS7	QG 2.7	Water Security	Planned supply system response (S)	NR	yes/no
Windorah Raw Water	Raw-Partially treated water scheme	WS7	QG 2.7	Water Security	Planned supply system response (S)	NR	yes/no
Barcoo Shire Council WSP-wide	WSP	WS7	QG 2.7	Water Security	Planned supply system response (S)	NR	yes/no
Jundah Potable Water	Potable water scheme	WS8	QG 2.8	Water Security	Water restrictions (duration) (S)	0	months
Stonehege Potable Water	Potable water scheme	WS8	QG 2.8	Water Security	Water restrictions (duration) (S)	0	months
Windorah Potable Water	Potable water scheme	WS8	QG 2.8	Water Security	Water restrictions (duration) (S)	0	months
Jundah Raw Water	Raw-Partially treated water scheme	WS8	QG 2.8	Water Security	Water restrictions (duration) (S)	0	months
Stonehege Raw Water	Raw-Partially treated water scheme	WS8	QG 2.8	Water Security	Water restrictions (duration) (S)	0	months
Windorah Raw Water	Raw-Partially treated water scheme	WS8	QG 2.8	Water Security	Water restrictions (duration) (S)	0	months
Barcoo Shire Council WSP-wide	WSP	WS8	QG 2.8	Water Security	Water restrictions (duration) (S)	0	months
Jundah Potable Water	Potable water scheme	WS9	QG 2.9	Water Security	Water restrictions (severity) (S)	0	%
Stonehege Potable Water	Potable water scheme	WS9	QG 2.9	Water Security	Water restrictions (severity) (S)	0	%
Windorah Potable Water	Potable water scheme	WS9	QG 2.9	Water Security	Water restrictions (severity) (S)	0	%
Jundah Raw Water	Raw-Partially treated water scheme	WS9	QG 2.9	Water Security	Water restrictions (severity) (S)	0	%
Stonehege Raw Water	Raw-Partially treated water scheme	WS9	QG 2.9	Water Security	Water restrictions (severity) (S)	0	%
Windorah Raw Water	Raw-Partially treated water scheme	WS9	QG 2.9	Water Security	Water restrictions (severity) (S)	0	%
Barcoo Shire Council WSP-wide	WSP	WS9	QG 2.9	Water Security	Water restrictions (severity) (S)	0	%
Barcoo Shire Council WSP-wide	WSP	FN14	QG 3.1	Finance	Total water supply capital expenditure (W)	0	\$,000
Barcoo Shire Council WSP-wide	WSP	FN15	QG 3.2	Finance	Total sewerage capital expenditure (W)	NR	\$,000
Barcoo Shire Council WSP-wide	WSP	FN26	QG 3.3	Finance	Capital works grants - water (W)	0	\$,000
Barcoo Shire Council WSP-wide	WSP	FN27	QG 3.4	Finance	Capital works grants - sewerage (W)	0	\$,000
Barcoo Shire Council WSP-wide	WSP	FN9	QG 3.5	Finance	Nominal written-down replacement cost of fixed water supply assets (W)	5178.98	\$,000
Barcoo Shire Council WSP-wide	WSP	FN10	QG 3.6	Finance	Nominal written-down replacement costs of fixed sewerage assets (W)	NR	\$,000
Barcoo Shire Council WSP-wide	WSP	FN74	QG 3.7	Finance	Current replacement costs of fixed water supply assets (W)	8234.8	\$,000
Barcoo Shire Council WSP-wide	WSP	FN75	QG 3.8	Finance	Current replacement costs of fixed sewerage assets (W)	NR	\$,000
Barcoo Shire Council WSP-wide	WSP	FN1	QG 3.9	Finance	Total revenue - water (W)	165	\$,000
Barcoo Shire Council WSP-wide	WSP	FN2	QG 3.10	Finance	Total revenue - sewerage (W)	0	\$,000
Barcoo Shire Council WSP-wide	WSP	FN11	QG 3.11	Finance	Operating cost - water (W)	968.09	\$/connection
Barcoo Shire Council WSP-wide	WSP	FN12	QG 3.12	Finance	Operating cost - sewerage (W)	0	\$/connection
Barcoo Shire Council WSP-wide	WSP	FN76	QG 3.13	Finance	Annual maintenance costs water (W)	167.944	\$,000
Barcoo Shire Council WSP-wide	WSP	FN77	QG 3.14	Finance	Annual maintenance costs sewerage (W)	NR	\$,000
Barcoo Shire Council WSP-wide	WSP	FN78	QG 3.15	Finance	Current cost depreciation - water (W)	171.203	\$,000
Barcoo Shire Council WSP-wide	WSP	FN79	QG 3.16	Finance	Current cost depreciation - sewerage (W)	NR	\$,000
Barcoo Shire Council WSP-wide	WSP	FN80	QG 3.17	Finance	Previous 5 year average annual renewals expenditure - water (W)	12.3	\$,000
Barcoo Shire Council WSP-wide	WSP	FN81	QG 3.18	Finance	Previous 5 year average annual renewals expenditure - sewerage (W)	NR	\$,000
Barcoo Shire Council WSP-wide	WSP	FN82	QG 3.19	Finance	Forecast 5 year average annual renewals expenditure - water (W)	103	\$,000
Barcoo Shire Council WSP-wide	WSP	FN83	QG 3.20	Finance	Forecast 5 year average annual renewals expenditure - sewerage (W)	NR	\$,000
Jundah Potable Water	Potable water scheme	PR3	QG 4.1	Customer	Fixed charge - water (S)	690	\$/annum
Stonehege Potable Water	Potable water scheme	PR3	QG 4.1	Customer	Fixed charge - water (S)	690	\$/annum
Windorah Potable Water	Potable water scheme	PR3	QG 4.1	Customer	Fixed charge - water (S)	690	\$/annum
Jundah Raw Water	Raw-Partially treated water scheme	PR3	QG 4.1	Customer	Fixed charge - water (S)	690	\$/annum
Stonehege Raw Water	Raw-Partially treated water scheme	PR3	QG 4.1	Customer	Fixed charge - water (S)	690	\$/annum
Windorah Raw Water	Raw-Partially treated water scheme	PR3	QG 4.1	Customer	Fixed charge - water (S)	690	\$/annum
Barcoo Shire Council WSP-wide	WSP	PR3	QG 4.1	Customer	Fixed charge - water (S)	690	\$/annum
Jundah Potable Water	Potable water scheme	PR5	QG 4.1a	Customer	Fixed charge - water (S) description	up to 300kL	Text
Stonehege Potable Water	Potable water scheme	PR5	QG 4.1a	Customer	Fixed charge - water (S) description	up to 300kL	Text
Windorah Potable Water	Potable water scheme	PR5	QG 4.1a	Customer	Fixed charge - water (S) description	up to 300kL	Text
Jundah Raw Water	Raw-Partially treated water scheme	PR5	QG 4.1a	Customer	Fixed charge - water (S) description	up to 700kL	Text

The figure shown is the minimum water bill and includes both the potable and non-potable supply usage as Council does not itemise the two in its base allocation.

The figure shown is the minimum water bill and includes both the potable and non-potable supply usage as Council does not itemise the two in its base allocation.

The figure shown is the minimum water bill and includes both the potable and non-potable supply usage as Council does not itemise the two in its base allocation.

The figure shown is the minimum water bill and includes both the potable and non-potable supply usage as Council does not itemise the two in its base allocation.

The figure shown is the minimum water bill and includes both the potable and non-potable supply usage as Council does not itemise the two in its base allocation.

The figure shown is the minimum water bill and includes both the potable and non-potable supply usage as Council does not itemise the two in its base allocation.

The figure shown is the minimum water bill and includes both the potable and non-potable supply usage as Council does not itemise the two in its base allocation.

The figure shown is the minimum water bill and includes both the potable and non-potable supply usage as Council does not itemise the two in its base allocation.

The figure shown is the minimum water bill and includes both the potable and non-potable supply usage as Council does not itemise the two in its base allocation.

The figure shown is the minimum water bill and includes both the potable and non-potable supply usage as Council does not itemise the two in its base allocation.

Stonehenge Raw Water	Raw-Partially treated water scheme	PR5	QG 4.1a	Customer	Fixed charge - water (S) description	up to 700kL	Text
Windorah Raw Water	Raw-Partially treated water scheme	PR5	QG 4.1a	Customer	Fixed charge - water (S) description	up to 700kL	Text
Barcoo Shire Council WSP-wide	WSP	PR5	QG 4.1a	Customer	Fixed charge - water (S) description	up to 300kL of treated and 700kL of raw	Text
Barcoo Shire Council WSP-wide	WSP	PR31	QG 4.2	Customer	Fixed charge - sewerage (S)	NR	S/annum
Barcoo Shire Council WSP-wide	WSP	PR40	QG 4.2a	Customer	Fixed charge - sewerage (S) description	NR	Text
Barcoo Shire Council WSP-wide	WSP	PR47	QG 4.3	Customer	Annual bill based on 200 kJ/annum (W)	690	\$
Barcoo Shire Council WSP-wide	WSP	PR48	QG 4.4	Customer	Typical residential bill (W)	690	\$
Jundah Potable Water	Potable water scheme	AS8	QG 4.5	Customer	Total water main breaks (S)	0	per 100 km water main
Stonehenge Potable Water	Potable water scheme	AS8	QG 4.5	Customer	Total water main breaks (S)	0	per 100 km water main
Windorah Potable Water	Potable water scheme	AS8	QG 4.5	Customer	Total water main breaks (S)	21.3	per 100 km water main
Jundah Raw Water	Raw-Partially treated water scheme	AS8	QG 4.5	Customer	Total water main breaks (S)	124.4	per 100 km water main
Stonehenge Raw Water	Raw-Partially treated water scheme	AS8	QG 4.5	Customer	Total water main breaks (S)	192.3	per 100 km water main
Windorah Raw Water	Raw-Partially treated water scheme	AS8	QG 4.5	Customer	Total water main breaks (S)	0	per 100 km water main
Barcoo Shire Council WSP-wide	WSP	AS8	QG 4.5	Customer	Total water main breaks (S)	42.2	per 100 km water main
Barcoo Shire Council WSP-wide	WSP	AS39	QG 4.6	Customer	Total sewerage main breaks and chokes (S)	NR	per 100 km sewer main
Jundah Potable Water	Potable water scheme	CS17	QG 4.7	Customer	Incidence of unplanned interruptions - water (S)	0	per 1000 connections
Stonehenge Potable Water	Potable water scheme	CS17	QG 4.7	Customer	Incidence of unplanned interruptions - water (S)	0	per 1000 connections
Windorah Potable Water	Potable water scheme	CS17	QG 4.7	Customer	Incidence of unplanned interruptions - water (S)	253.2	per 1000 connections
Barcoo Shire Council WSP-wide	WSP	CS17	QG 4.7	Customer	Incidence of unplanned interruptions - water (S)	51	per 1000 connections
Jundah Potable Water	Potable water scheme	CS37	QG 4.8	Customer	Average response time for water incidents (bursts & leaks) (S)	30	mins
Stonehenge Potable Water	Potable water scheme	CS37	QG 4.8	Customer	Average response time for water incidents (bursts & leaks) (S)	0	mins
Windorah Potable Water	Potable water scheme	CS37	QG 4.8	Customer	Average response time for water incidents (bursts & leaks) (S)	90	mins
Jundah Raw Water	Raw-Partially treated water scheme	CS37	QG 4.8	Customer	Average response time for water incidents (bursts & leaks) (S)	60	mins
Stonehenge Raw Water	Raw-Partially treated water scheme	CS37	QG 4.8	Customer	Average response time for water incidents (bursts & leaks) (S)	90	mins
Windorah Raw Water	Raw-Partially treated water scheme	CS37	QG 4.8	Customer	Average response time for water incidents (bursts & leaks) (S)	0	mins
Barcoo Shire Council WSP-wide	WSP	CS37	QG 4.8	Customer	Average response time for water incidents (bursts & leaks) (S)	90	mins
Barcoo Shire Council WSP-wide	WSP	CS33	QG 4.9	Customer	Average response time for sewerage incidents (including main breaks and chokes) (S)	NR	mins
Jundah Potable Water	Potable water scheme	CS9	QG 4.10	Customer	Water quality complaints (S)	232.6	per 1000 connections
Stonehenge Potable Water	Potable water scheme	CS9	QG 4.10	Customer	Water quality complaints (S)	0	per 1000 connections
Windorah Potable Water	Potable water scheme	CS9	QG 4.10	Customer	Water quality complaints (S)	0	per 1000 connections
Jundah Raw Water	Raw-Partially treated water scheme	CS9	QG 4.10	Customer	Water quality complaints (S)	0	per 1000 connections
Stonehenge Raw Water	Raw-Partially treated water scheme	CS9	QG 4.10	Customer	Water quality complaints (S)	0	per 1000 connections
Windorah Raw Water	Raw-Partially treated water scheme	CS9	QG 4.10	Customer	Water quality complaints (S)	0	per 1000 connections
Barcoo Shire Council WSP-wide	WSP	CS9	QG 4.10	Customer	Water quality complaints (S)	51	per 1000 connections
Jundah Potable Water	Potable water scheme	CS13	QG 4.11	Customer	Total water and sewerage complaints (S)	302.3	per 1000 connections
Stonehenge Potable Water	Potable water scheme	CS13	QG 4.11	Customer	Total water and sewerage complaints (S)	0	per 1000 connections
Windorah Potable Water	Potable water scheme	CS13	QG 4.11	Customer	Total water and sewerage complaints (S)	0	per 1000 connections
Jundah Raw Water	Raw-Partially treated water scheme	CS13	QG 4.11	Customer	Total water and sewerage complaints (S)	0	per 1000 connections
Stonehenge Raw Water	Raw-Partially treated water scheme	CS13	QG 4.11	Customer	Total water and sewerage complaints (S)	0	per 1000 connections
Windorah Raw Water	Raw-Partially treated water scheme	CS13	QG 4.11	Customer	Total water and sewerage complaints (S)	0	per 1000 connections
Barcoo Shire Council WSP-wide	WSP	CS13	QG 4.11	Customer	Total water and sewerage complaints (S)	66.3	per 1000 connections
Barcoo Shire Council WSP-wide	WSP	EN21	QG 5.1	Environment	Source water/s nutrient/sediment load reduction initiatives (W)	no	yes/no
Barcoo Shire Council WSP-wide	WSP	EN22	QG 5.2	Environment	Receiving waterway/s nutrient/sediment load reduction initiatives (W)	no	yes/no